



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product name	CC-1250 Product Series
MSDS name	CC-1250 Product Series - Various Colors
Product name(s) covered	See Section 16 for Product Names Covered.
CAS #	Mixture
Product use	Joining and sealing a variety of construction materials
Generic description	Silicone Elastomer
Manufacturer	Bostik, Inc. 211 Boston Street Middleton, MA 01949 USA
24 hour emergency assistance	Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887
General assistance	Telephone: 1-978-777-0100
MSDS assistance	Telephone: 1-414-607-1347

2. Hazards Identification

Emergency overview	Contact with this material can cause irritation to the skin, eyes and mucous membranes. Methyl alcohol and ethyl methyl ketoxime (MEKO) form upon contact with water or humid air. Provide adequate ventilation to control exposures within guidelines or use respiratory protection.
Potential health effects	
Eyes	This product may cause irritation to the eyes.
Skin	This product may cause irritation to the skin.
Inhalation	This product may cause irritation to the respiratory system.
Ingestion	Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
2-Butanone, O,O',O''-(methylsilylydyne)trioxime	22984-54-9	3 - 7
2-Butanone, O,O'-(methoxymethylsilylene)dioxime	83817-72-5	1 - 5

4. First Aid Measures

First aid procedures	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention or advice.
Skin contact	For skin contact flush with large amounts of water while removing contaminated clothing. If skin irritation persists, call a physician.
Inhalation	If inhaled, immediately remove the affected person to fresh air. Call a physician if symptoms develop or persist.
Ingestion	If the material is swallowed, get immediate medical attention or advice. Do not induce vomiting without medical advice. Never give anything by mouth to a victim who is unconscious or is having convulsions.
Notes to physician	Provide general supportive measures and treat symptomatically. Contact Bostik to determine whether any additional information is available.

5. Fire Fighting Measures

Hazardous combustion products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
--------------------------------------	--

Extinguishing media

Suitable extinguishing media Dry chemical, foam, carbon dioxide, water fog.

Fire fighting equipment/instructions Firefighters should wear full protective clothing including self contained breathing apparatus.

Flash point 300 °F (148.9 °C)

6. Accidental Release Measures

Emergency action Wear appropriate personal protective equipment. Do not allow product to enter sewer or waterways. Follow all Local, State, Federal and Provincial regulations for disposal.

Spill or leak procedure Scrape up material and place in steel drums that are in good condition. Thoroughly clean area where spill occurred.

Containment procedures Stop source of leak if possible. Contain the discharged material.

Reporting See Federal reporting requirements listed in Section 15. We recommend you contact local authorities to determine if there may be other local reporting requirements.

7. Handling and Storage

Handling Do not get this material in your eyes, on your skin, or on your clothing. Avoid breathing vapors or mists of this product. Wash hands after handling and before eating.

Storage Keep in a dry, cool and well-ventilated place. Keep away from heat. Keep away from direct sunlight.

Empty container precaution Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur.

8. Exposure Controls / Personal Protection

Engineering controls Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

Personal protective equipment

Eye protection Wear safety glasses with side shields.

Skin and body protection Use impervious gloves. Work clothing sufficient to prevent all skin contact should be worn, such as coveralls and long sleeves.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

General Eyewash fountains and emergency showers should be readily available.

Additional exposure data

US ACGIH Threshold Limit Values: Time Weighted Average (TWA): mg/m³ & ppm

Methyl alcohol 67-56-1 METHANOL 200 PPM

US OSHA Table Z-1-A: Time Weighted Average (TWA): mg/m³ & ppm

Methyl alcohol 67-56-1 METHYL ALCOHOL 260 MGM3 - 200 PPM

9. Physical & Chemical Properties

Target solids 100 %

Density 1.04 g/cc

Odor Slight

Color Various

Physical state Paste

Freeze protect No

VOC (Volatile Organic Compounds) < 30 g/l

10. Chemical Stability & Reactivity Information

Hazardous reactions/decomposition products Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Hazardous polymerization Will not occur.

Conditions to avoid Avoid Strong Acids.
Stability This is a stable material.

11. Toxicological Information

Carcinogenicity If this product contains any carcinogens, they will be noted below:
Sensitization to material

US ACGIH Threshold Limit Values: Skin designation

Methyl alcohol 67-56-1 Can be absorbed through the skin.

12. Ecological Information

Ecotoxicological information No data available for this product.

13. Disposal Considerations

It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable local, state and federal regulations.

Waste disposal Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

14. Transport Information

DOT

Not regulated as hazardous goods.

IATA

Not regulated as hazardous goods.

IMDG

Not regulated as hazardous goods.

15. Regulatory Information

This MSDS is prepared and distributed pursuant to the Federal Hazard Communication Standard, 29 CFR 1910.1200.

The product(s) covered by this M(SDS) do not include any of the 15 substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by ECHA on October 28, 2008 above a concentration of 0.1% weight by weight (w/w).

Federal regulations All components are on the U.S. EPA TSCA Inventory List.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Methyl alcohol 67-56-1 METHANOL US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

State regulations If this product contains any ingredients listed under California Proposition 65, they will be noted below:

International regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and contains all the information required by the Controlled Products Regulations.

HMIS Ratings Health: 2*
Flammability: 1
Physical hazard: 0
Personal protection: X

SARA 311/312 HAZARD CATEGORIES Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

WHMIS status Controlled

WHMIS labeling



WHMIS classification D2A - Other Toxic Effects-VERY TOXIC
D2B - Other Toxic Effects-TOXIC

16. Other Information

Product name(s) covered	K199110 - CC-1250 ALUMINUM	12/10.3
	K199210 - CC-1250 BLACK	12/10.3
	K199310 - CC-1250 CLEAR	12/10.3
	K199410 - CC-1250 GRAY	12/10.3
	K199510 - CC-1250 WHITE	12/10.3
	K199610 - CC-1250 BRONZE	12/10.3

Disclaimer The data in this MSDS has been compiled from publicly available sources. This data relates only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Responsibility for proper precautions and safe use of the product lies with the user. All data in this MSDS is typical of the product as a whole, and does not represent any individual lot or batch, therefore, Bostik, Inc. makes no warranty about the accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

Further information If there are any characters following an individual item number, they are just designations for the various types of packaging that are available for this product. For example, a product "G12345-XX" is item number "G12345" with a packaging designation of "XX". These characters do not indicate a different product nor a different regulatory, health, safety and/or environmental status. This document covers the item numbers listed above for all of their packaging types.

Issue date	08/13/2009
Prepared by	Michael Simon
Supersedes	08/13/2009